

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5994916".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:39
L2	92050	display near3 driv\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:40
L3	14158	2 and test\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:41
L4	2286	3 and (mux or multiplexer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:41
L5	915	4 and leads	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:41
L6	46	5 and voltage adj generator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:42
L7	0	6 and test adj reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:42
L9	6	5 and test adj reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:42

L10	6	5 and test adj reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:43
L11	5	10 and switch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:43
L12	0	11 and select\$4 near (voltage or potential)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:43
L13	11840	display adj driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:43
L14	12	13 and test adj reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:43
L15	5	14 and (mux or multiplexer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:44
L16	1	15 and voltage adj generator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:44
L17	127	(display near driv\$4) near3 test\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:45

L18	320	(display near3 driv\$4) near3 test\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:45
L19	15	18 and (test adj reference or vref or potential near reference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:46
L20	3	19 and (mux or multiplexer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:46
L21	3	20 and (voltage or power) near (generator or supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:48
L22	2	((display adj driver) adj test\$3 near (driv\$3)) and leads	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:50
L23	0	((display adj driver) adj test\$3 near (driv\$3)) and leads and multiplex\$4 and switch\$3 and first adj switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:51
L24	46	((display adj driver) and test\$3 near (driv\$3)) and leads	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:50
L25	0	24 and multiplex\$4 and switch\$3 and first adj switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:51

L26	33	((display adj driver) and test\$3 and (leads or wires or electrodes) and multiplex\$4 and switch\$3) and reference adj (potential or voltage) and first adj switch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:52
L27	0	26 and second adj swith\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:53
L28	0	(testing near driver adj circuit) adj (leads or wires)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:54
L29	10	(testing near driver adj circuit) and (leads or wires)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:54
L30	1	29 and (mux or multiplexer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:55
L31	0	testing adj displayi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:55
L32	0	31 and multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:55
L33	436	testing adj display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:55

L34	27	33 and multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:57
L35	17	34 and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:55
L36	10	35 and leads	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:56
L37	9	36 and switch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:56
L38	4	37 and (reference adj (voltage or potential))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:56
L39	1	37 and test adj potential	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:56
L40	5	38 or 39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:57
L41	9	36 and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:57

L42	17	33 and multiplexer and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:58
L43	13	(display near driv\$4) and test\$3 near (driv\$3) and leads and multiplex\$4 and switch\$3 and reference adj (potential or voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 17:00
L44	9	43 and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 17:00
L45	0	44 and first adj switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 17:00
L46	1	44 and first adj switch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 17:00